




RENZ

WALLBOX POWER2CAR RIM



SOLID,
COMPACT AND
EFFECTIVE





POWER2CAR RIM

You have decided in favour of e-mobility? You are now looking for a stable charging station for your electric vehicle? You want it to be compact, effective and safe? It should meet your requirements in terms of charging technology at the highest level and quality made in Germany? Then our POWER2CAR-RIM wallbox will convince you.

With this wallbox in the shape of a rim, you can roll up the cable conveniently and neatly. The car battery is charged gently and effectively. Thanks to the sturdy housing with a stainless steel front makes it suitable for both indoor and outdoor areas, without the need for an additional cover.

Our charging station guarantees you future-proof technology. We will be happy to support professional installation and offer you a comprehensive service.



The POWER2CAR-RIM ensures effective and gentle charging of your car battery. It is easy to operate and suitable for all private and commercial applications.




POWER2CAR - RIM

11 kW, Typ 2 charging cable (7 m), IP54
Art. No. 4798001030

POWER2CAR - RIM | RFID


11 kW, RFID, Typ 2 charging cable (7 m),
3 Transponder, IP54
Art. No. 4798001031





The bright LED always shows you the current status of the charging system in different colours.

Thanks to the integrated DC residual current detection, you can do without an expensive universal current-sensitive RCD in the building distribution system.



The POWER2CAR - RIM | RFID enables you to release the charge with the enclosed RFID transponders (3 pieces).

As soon as your electric vehicle is connected to the wallbox via the charging cable, you hold your transponder in front of the RFID reader on the wallbox and you're ready to go.

RIM TOWER BASE



RIM TOWER - BASE
Stainless steel (brushed)
Mounting material
Art. No. 4798001082



- » 3.7-11 kW charging power (max. 16A)
- » DC residual current detection
- » Type 2 charging cable (7 m)
- » sturdy housing with stainless steel front
- » for private and commercial use
- » suitable for indoor and outdoor installation (IP 54)
- » easy to operate
- » craftsman-friendly design for convenient installation
- » handmade in Germany
- » in the RFID version: charge release through RFID technology

POWER2CAR - RIM

Art.No.	4798001030
Electrical Output:	3,7 - 11 kW (max. 16 A) DC residual current detection
Plug type:	Typ 2 (Vehicles in Europe) Loading mode 3, IEC 62196
Loading cable:	7 m
Electrical connection:	3 Ph, 400 V, 50/60 Hz, 16 A
Ambient temperature:	-30°C - 50°C
Protection class:	IP54
Housing:	Metal housing with stainless steel front
Size (W/H/D):	290 x 290 x 120 mm
Weight:	8,5 kg

POWER2CAR - RIM | RFID

Art.No.	4798001031
Electrical Output:	3,7 - 11 kW (max. 16 A) DC residual current detection
Access protection:	RFID (incl. 3 RFID-Transponder)
Plug type:	Typ 2 (Vehicles in Europe) Lademode 3, IEC 62196
Loading cable:	7 m
Electrical connection:	3 Ph, 400 V, 50/60 Hz, 16 A
Ambient temperature:	-30°C - 50°C
Protection class:	IP54
Housing:	Metal housing with stainless steel front
Size (W/H/D):	290 x 290 x 120 mm
Weight:	8,5 kg